5

10

CLAIMS:

1.\ An oven rack comprising:

a first portion comprising a first side and a second side;

a second portion extending obliquely from said first portion; and

at least one handle extending from said first side of said first portion.

2. An oven rack in accordance with Claim 1 further comprising a support system attached to said oven rack and configured to support said oven rack.

3. An oven rack in accordance with Claim 2 wherein said support system comprises a plurality of legs extending from said first portion.

- 4. An oven rack in accordance with Claim 1 wherein said first portion comprises a plurality of first rods and a plurality of second rods, said first rods extending between said first side of said first portion and said second side of said portion, said second rods attached substantially perpendicularly to said first rods.
- 5. An oven rack in accordance with Claim 4 wherein said first rods and said second rods are substantially co-planar.
- 6. An oven rack in accordance with Claim 1 wherein said at least one handle comprises two handles extending from said first side of said first portion.
 - 7. An oven rack in accordance with Claim 3 wherein said plurality of legs comprises four legs.
- 8. An oven rack in accordance with Claim 3 wherein said oven rack is configured to be used as a trivet on a countertop.

5

10

An oven comprising:

a cooking chamber comprising a bottom surface, and at least three sides;

an oven rack configured to rest on said bottom surface of said cooking chamber.

- 10. An oven in accordance with Claim 9 wherein said oven rack comprises a first portion, a second portion unitarily extending obliquely from said first portion, and at least one handle extending from said oven rack.
- 11. An oven in accordance with Claim 10 wherein said first portion comprises a first side, a second side, and a plurality of first rods extending from said first side to said second side.
- 12. An oven in accordance with Claim 11 wherein said first portion further comprises a plurality of second rods attached substantially perpendicularly to said plurality of first rods.
- 13. An oven in accordance with Claim 10 wherein said oven rack further comprises a support system configured to rest on said cooking chamber bottom surface.
- 14. An oven in accordance with Claim 13 wherein said support system comprises a plurality of legs extending from said first portion.
- 15. An oven in accordance with Claim 14 wherein said plurality of legs comprises four legs.
- 16. An oven in accordance with Claim 10 wherein said at least one handle comprises two handles extending unitarily from said first portion.

- 17. An oven in accordance with Claim 13 wherein said oven rack support system is further configured to prevent said oven rack from over-extending from said cooking chamber.
- 18. An oven in accordance with Claim 13 wherein said cooking chamber further comprises a door hingedly attached to said cooking chamber, said oven rack support system further configured to stabilize said oven rack against said oven door.
 - 19. An oven in accordance with Claim 13 wherein said oven rack is configured to be used as a trivet on a countertop.